



CALDER BROTHERS CORPORATION

2022 SUGGESTED RETAIL PRICE LIST PL2022 REV NR

Prices Effective: May 21, 2021
Supersedes Document ID: Mauldin PL2021 REV A

CALDER BROTHERS CORPORATION
450 East Warehouse Court
Taylors, SC 29687

Telephone: (864) 244-4800

Web: www.4aMauldin.com

CALDER BROTHERS CORPORATION (LIMITED) PRODUCT WARRANTY

Calder Brothers Corporation warrants that the product under this program will be free from defects in material and workmanship for a period of (12) twelve months from date of installation. Written notice of any claimed defect must be given to Calder Brothers Corporation within the warranty period and within (30) thirty days after such defect is discovered. Liability under this warranty is limited to replacing or repairing, at Calder Brothers Corporation's election, any part or parts deemed defective after examination by Calder Brothers Corporation or an Authorized Service Representative. Any machine or any of its parts returned by customer to Calder Brothers Corporation or an Authorized Service Representative via prepaid transportation and which is found to be defective will be repaired or replaced and returned to the customer via prepaid surface transportation within the continental United States. Should any part be found not defective, Calder Brothers Corporation or an Authorized Service Representative may charge inspection and handling to the customer.

EXCLUSIONS:

This warranty does not apply to routine wearable parts of Mauldin machines such as seals, points, plugs, hoses or similar items. This warranty does not extend to any machine or part replaced or repaired under this warranty. This warranty does not cover any repair or replacement labor of any part or parts found defective after examination by Calder Brothers Corporation or an Authorized Service Representative. This warranty does not apply to defects caused by casualty or unreasonable use, including faulty repairs by others and failure to provide reasonable and necessary maintenance.

THIS WARRANTY SET FORTH HEREIN IS IN LIEU OF AND EXCLUDES ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARISING BY OPERATION OF LAW OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND CUSTOMER WAIVES ANY OBLIGATION OF LIABILITY OF CALDER BROTHERS CORPORATION ARISING IN TORT OR STRICT LIABILITY IN TORT, OR FOR LOSS OR USE, REVENUE OR PROFIT WITH RESPECT TO MAULDIN MACHINE AND/OR PARTS FOR ANY LIABILITY OF CUSTOMER TO ANY THIRD PARTY, OR FOR OTHER DIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Customer Signature

Date

Selling Representative

Date



2022 Model Year 650 Paver

Address: _____

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP650T	Crawler Track, Smooth Steel Pads	Kubota V-1505 24 HP	<i>Freedom</i> 8' to 13'	10,900 Lbs.	\$ 102,250	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
65-T-01	<ul style="list-style-type: none">● OPCP690-220: Extreme Grade Polyurethane Track Pads● OALL-HORN: Horn <ul style="list-style-type: none">● Wheeled Driveline: Eight Foam Filled Tires● OALL-HORN: Horn			Continuous Ignition, Manually Controlled, Propane Heating	\$ 107,220	
65-R-01					\$ 102,460	
Options Available				Item	List Price	Qty
TRK-69, 50 Poly Track Pads				OP690-220	\$4,760	
Operator Convenience Package: (4 Working Lights, Elec. Horn, & USB Power Outlet)				OPCP-570	\$1,690	
PVR, Remote Wash Down Tank				OPCP-555	\$620	
SCD, Slope Meter				OPCP-325	\$430	
SCD, Augers, Severe Duty				OPCP-340	\$820	
PVR, Revolving Light				OPCP-540	\$420	
OPT, Electric Horn				OALL-HORN	\$210	
Extended Warranty - Call For Quote						
Additional Order Information:				Total List Price	\$	-
				Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 650 6.0 TON GRAVITY FEED CRAWLER TRACK PAVER with:

DRIVE: Kubota V-1505 24 HP, 4 cyl. 1.5 L, EPA Tier 4 Final Diesel Engine. **MAULDIN**® Premium Duty Crawler Track Suspension, Two-Speed Drive, Planetary Torque Hub to Sprocket Final Drive System, SIX (6) Permanent Sealed, Oil Filled Rollers w/ Metal Faced Seals. Double Pump Hydrostatic Drive w/ Hydrostatic Dynamic Braking, 12 Volt Electrical System.

FUNCTION: Enclosed Engine, Automatic Augers, Paver Wash Down System uses Engine Fuel Tank and includes Dual Hoses w/ Sprayers.

OPERATOR: Dual Operators Stations, Electronic Engine Fuel Gauge, Hour Meter.

Freedom Screed™:

8' - 13' Paving widths, Power Extendable Vibratory Screed w/ **AUTOMATIC** (patented) Match Height adjustment. Continuous Ignition, Manually Controlled, Propane Screed Heating System for Main & Front Mounted Extensions. Two, Bi-directional 9" Material Feed Augers power extend/retract with extensions. Material Contacting Sensors for Head of Material Control. Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, On-The-Fly Adjustable End Gates.

Effective: 5/21/2021

Submit Orders to: Sales@CalderBrothers.com

2022 Model Year 1560 Paver

Order Date: _____

Dealership: _____

Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer: _____

Ship To _____

Address: _____

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP1560T	Crawler Track, Smooth Steel Pads	Cummins QSF2.8 74 HP	Freedom - 14 Electric 8' to 14'	14,000 Lbs.	\$ 159,500	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
1560-01	● OP1550-205: Extreme Grade Polyurethane Track Pads ● OPCP-570: Operator Conv. Pkg (4 Working Lights, Horn, & USB Power Outlet)			14Kw Generator with Available Heating Capacity = 10,000 Total Combined Watts	\$ 170,000	
Options Available				Item	List Price	Qty
TRK-15, 60 Poly Track Pads				OP1550-205	\$8,810	
SCD, Slope Meter				OPCP-325	\$430	
SCD, Seat & Stand - Low Profile Suspension				OPCP-320	\$560	
PVR, Swivel Seat Bracket				OPCP-669	\$230	
OPT, Arm Rests For Seats				OALL-600	\$150	
SCD, Augers, Severe Duty				OPCP-340	\$820	
Operator Convenience Package: (4 Working Lights, Elec. Horn, & USB Power Outlet)				OPCP-570	\$1,690	
PVR, M-Brella				OPCP-600	\$390	
PVR, Revolving Light				OPCP-540	\$420	
PVR, Independent Hopper Wing Controls				OP1560-100	\$3,250	
Extended Warranty - Call for Quote						
Additional Order Information:				Total List Price	\$	-
				Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 1560 6.5 TON CONVEYOR FEED CRAWLER TRACK SUPER PAVER with:
DRIVE: Cummins QSF2.8 74 HP, 4 cyl. 2.8L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Cummins engine protection system. MAULDIN ® Premium Duty Crawler Track Driveline: 2 Speed Drive 0 – 140 FPM 0 – 290 FPM, Planetary Torque Hub to Sprocket Final Drive System, EIGHT (8) Permanent Sealed, Oil Filled Rollers w/ Metal Faced Seals. Double Pump Hydrostatic Drive w/ Hydrostatic Dynamic Braking, Triple Auxiliary Pumps, 12 Volt Electrical System. FUNCTION: Fully Enclosed Engine and Hydraulic Compartment w/ Sound Attenuation and Oil Capture System. Wash Down Tank, w/ dual Sprayer Hoses including Hose Reel System. OPERATOR: Dual Operators Stations, (1) Color Display Operator Control Center includes: Tachometer, Hour Meter, Oil Pressure, Engine Temp, and Fuel Gauges.
Freedom-14 Electric Screed™:
8' – 14' Paving widths, Power Extendable Vibratory Screed w/ AUTOMATIC (patented) Match Height adjustment. AUTO/OFF Thermostat Control, Electric Screed Heating System for Main & Front Mounted Extensions: 14Kw Generator, 6 heat elements, (1—4—1), Available Heating Capacity = 10,000 Total Combined Watts. Four, Bi-directional 9" Material Feed Augers: (2) Upper Augers mount to Main Screed, (2) Lower Augers power extend/retract with extensions. Non-contacting, Ultra-Sonic Sensors for Head of Material Control & Auger—Conveyor Synchronization automatically control material feed. Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, Spring-Loaded & On-The-Fly Adjustable End Gates.

Effective: 5/21/2021

Submit Orders to: Sales@CalderBrothers.com

2022 Model Year 1860 Paver

Order Date: _____

Dealership: _____

Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer: _____

Ship To Address: _____

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP1860T	Crawler Track, Extreme Grade Poly Pads	Cummins QSF3.8 110 HP	Silver - 16 Electric 8' to 15'-6"	18,900 Lbs.	\$ 238,250	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
1860T-01	● OPCP-570: Operator Conv. Pkg (4 Working Lights, Horn, & USB Power Outlet)			16Kw Generator	\$ 239,940	
Options Available				Item	List Price	Qty
SCD, Electrically Heated, Screed Endgates - 500 Watts Ea.				OPCP-301E3	\$1,700	
SCD, Augers, Severe Duty				OPCP-340	\$820	
SCD-S16, Power Crown				OPCP-300-15	\$3,710	
SCD-S16, Power Slope				OPCP-300-16	\$5,380	
SCD, Road Crew Kit (w/ OPCP-322, OPCP-560)				OPCP-323	\$3,790	
SCD, Elevated Driver Mount - Set of 2				OPCP-322	\$750	
PVR, Scrd Handset (P)				OPCP-560	\$3,040	
SCD, Slope Meter				OPCP-325	\$430	
SCD, Second Seat & Stand - Low Profile Suspension				OPCP-320	\$560	
PVR, Swivel Seat Bracket				OPCP-669	\$230	
OPT, Arm Rests For Seats				OALL-600	\$150	
PVR, Osc In-Wheel Hitch				OPCP-620	\$8,210	
HYD-75, Plumbing Only Truck Hitch				OP1750-410	\$2,180	
PVR-86, Vandal Kit (2) Operator Stations				OP1860-600	\$1,060	
PVR, M-Brella				OPCP-600	\$390	
SCD, Sonic Control Base System: (Single Grade)				OPCP-390	\$9,210	
Additional Order Information:				Total List Price	\$ -	
				Dealer Net Price	\$ -	

All pricing is Ex-Works, in US Dollars & subject to change without notification.

MODEL 1860 9.0 TON CONVEYOR FEED CRAWLER TRACK SUPER PAVER with:
DRIVE: Cummins QSF3.8 110 HP, 4 cyl. 3.8L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Cummins engine protection system. Crawler Track Suspension with Extreme Grade Polyurethane Track Pads, Planetary Torque Hub to Sprocket Final Drive System, TWELVE (12) Permanent Sealed, Oil Filled Rollers with Metal Faced Seals, MAULDIN ® Premium Heavy Duty Tractor Driveline: 2 Speed Drive, 0 – 144 & 0 – 324 FPM, Double Pump Hydrostatic Drive, w/ triple auxiliary pumps. 12 Volt Electrical System w/ 135 Amps Alternator.
FUNCTION: Fully Enclosed Engine and Hydraulic Compartment w/ Sound Attenuation and Oil Capture System. Electric/Hydraulic Extension Match Height, Electronic Screed Depth Control, (Tow Points), Wash Down Tank, w/ dual Sprayer Hoses including Hose Reel System.
OPERATOR: MAULDIN ® SUPER STEER™ Steering package w/ PAVING RESUME™. Dual Operators Consoles w/ (2) Color Display Operator Control Centers: (Tachometer, Hour Meter, Oil Pressure, Engine Temp, and Fuel Gauges). Hydrostatic Dynamic Braking and (1) Seat w/ Swivel Mechanism.
Silver-16 Electric Screed™:
8' - 15'-6" Paving widths, Automatic Screed Vibration (<i>Paving Resume™ activation</i>), Powered: Material Feed Tunnels & On-The-Fly Adjustable Match Height. AUTO/OFF Thermostat Control, Electric Screed Heating System for Main & Front Mounted Extensions: 6 heat elements, (1—4—1). Four, Bi-directional 9" Material Feed Augers: (2) Upper Augers mount to pre-strikeoff, (2) Lower Augers power extend/retract with extensions. Ultra-Sonic Sensors for Head of Material Control & Auger—Conveyor Synchronization automatically control material feed, Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, On-The-Fly Adjustable: Extension Slope & Spring-Loaded End Gates.

Effective: 5/21/2021

 Submit Orders to: Sales@CalderBrothers.com

2022 Model Year M415XT Maintainer

Order Date: _____
 Dealership: _____
 Purchase Order: _____
 Sales Contact: _____
 Ship Via: _____
 Email Contact: _____

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock
☐ Municipal ☐ Retail Customer

Retail Customer: _____
 Ship To Address: _____

Base Model	Drivetrain		Auxiliary Attachments	Weight	List Price	Qty
MM415	Limited Slip, All Wheel Drive & Steer, 3-speed Range	Cummins QSF3.8 120 HP	High-Flow Hydraulics with Case Drain 84" wide Bucket and Rear 7-shank Scarifier	15,000 Lbs.	\$ 201,000	
Gold Keys Available:	GK Equipment Includes		Auxiliary Attachments	Weight	List Price	Qty
MM-415-01	● OTCT-1000: Back-Up Camera		High-Flow Hydraulics with Case Drain 84" wide Bucket and Rear 7-shank Scarifier	15,000 Lbs.	\$ 202,870	
Options Available			Item	List Price		Qty
GDR, Diamond Tread Tires			OG413-1003	\$1,040		
AT, Back-Up Camera			OTCT-1000	\$1,870		
GDR, Rear Wiper			OGCG-1004	\$460		
GDR, Low Profile Deluxe Suspension Seat			OGCG-1005	\$710		
GDR, Special Paint			OGCG-1010	\$2,590		
GDR, Light Turn Signal Package			OGCG-1011	\$420		
GDR, Master Disconnect Switch			OGCG-1012	\$290		
GDR, Additional Work Lights			OGCG-1013	\$290		
GDR, Washing Fluid, Front & (Rear, w/ OGCG-1004)			OGCG-1050	\$650		
GDR, Fire Extinguisher			OGCG-1079	\$340		
OPT, Arm Rests For Seats			OALL-600	\$150		
OPT, AM/FM Radio with Bluetooth			OALL-116	\$1,660		
Extended Warranty - Call For Quote						
Additional Order Information:			Total List Price	\$ -		
			Dealer Net Price	\$ -		

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL M415XT 15,000lbs MAINTAINER – TOOL CARRIER with:

DRIVE: Cummins QSF3.8 120 HP, 4 cyl. 3.8L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Cummins engine protection system. (2) Limited Slip Axles, All Wheel Hydrostatic Drive w/ 3-Speed Range Selection, All Wheel Steer, (4) 15-19.5 NHS Tires. 12 Volt Electrical System with Heavy Duty Alternator.

FUNCTION: Proportional valves, Automation Upgrade Ready. 10' x 19" Moldboard: Angle, Tilt, Side shift, Raise/Lower, and Float Positions. Front & Rear Universal Quick-Attach: Auxiliary High Flow Hydraulics w/ Case Drain. Attachments: ¾-Cubic Yard, 84" wide Bucket w/ Float Position and Rear 7-shank Scarifier.

OPERATOR: Air Conditioned Enclosed Cab w/ pressurizer, heat and defrost fan. Low Profile Suspension Seat, Joystick Operating Controls. Color Display, Operator Control Center includes: Tachometer, Hour Meter, Oil Pressure, Engine Temp, and Fuel Gauges. Tilting Steering Column. Bucket Position Sensing & Automatic Position Hold (Auto-Level). Electric over Hydraulic Fail-Safe Parking Brake, Roof mounted Beacon, Working Lights, Horn, Back-Up Alarm, and (2) Outside Rearview Mirrors.

Effective: 5/21/2021

 Submit Orders to: Sales@CalderBrothers.com

2022 Model Year Tack Tanks

Order Date: _____

Dealership: _____

Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

 Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer: _____

Ship To _____

Address: _____

Base Model	Drivetrain	Pump	Spray Bar	List Price	Qty
MT300	Kohler CH-395 9.8 HP	8 GPM, Reversible	N/A	\$ 17,500	
MT600		8 GPM, Reversible	N/A	\$ 23,000	
Gold Keys Available:	GK Equipment Includes	Pump	Spray Bar	List Price	Qty
MT-300-01	● OTCT-610: 8' Spray Bar W/ In-Cab-Ctr	8 GPM, Reversible	8' Single-Overlap Non-Recirculating	\$ 20,900	
MT-600-01	● OTCT-610: 8' Spray Bar W/ In-Cab-Ctr ● OTCT-1400: Diesel Burner w/ Temp Ctr	8 GPM, Reversible	8' Single-Overlap Non-Recirculating	\$ 28,200	
Options Available			Item	List Price	Qty
TT, Insulated Tank Shell, 300 Gallon			OTCT-618	\$2,100	
TT, Insulated Tank Shell, 600 Gallon			OTCT-618	\$4,200	
TT, 8' Spray Bar W/ In-Cab-Ctr			OTCT-610	\$3,400	
TT, Diesel Burner w/ Temp Ctr			OTCT-1400	\$1,800	
TT, Diesel Engine - Kubota 9.5 HP			OTCT-625	\$3,290	
TT, Load/Offload Piping with Cam Lock Connector			OTCT-630	\$480	
TT, 2" Ball Hitch Attachment			OTCT-620	\$120	
TT, Spare Tire & Rim			OTCT-6??-2	\$640	
TT, 110VAC Elec Tank Temp Monitor			OTCT-616	\$2,020	
TT, Fire Extinguisher			OALL-FIRE	\$290	
TT, Hydraulic Surge Brakes			OTCT-619	\$1,710	
Skid Mounting - Call For Quote					
Extended Warranty - Call For Quote					

Additional Order Information:

Total List Price	\$	-
Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODELS MT300 & MT600 with:
DRIVE: Kohler CH-395 9.5 HP, 1 cyl. 18.3ci/301cc Gasoline Engine – **ELECTRIC START**
FUNCTION: Propane Heat, Single Flue w/ triple pass tank routing. Hydraulic Driven Asphalt Pump, Steel Tank with Dished and Flanged Heads, Wash Down Solvent Tank, Clean-Out, Electric Brakes w/ electronic break-away braking system & safety chains, Adjustable hitch comes with 2-3/4" pintle eye, Material Temp thermometer: 50°F to 550°F, LED trailer lighting.

OPERATOR: Reverse Suction, In-Cab Controls on models w/ spray bar, 5 foot hand sprayer with 40' hose on a hose reel – **FLUID RE-CIRCULATE VALVE**. 20" Diameter Top Fill Manhole or Load Line Fill, (must order Load/Unload option).

Effective: 5/21/2021

Submit Orders to: Sales@CalderBrothers.com

2022 Model Year Asphalt Distributors

Order Date: _____

Dealership: _____

Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock
☐ Municipal ☐ Retail Customer

Retail Customer: _____

Ship To Address: _____

Base Model	Front Axle GVW	Rear Axle GVW	Chassis GVW	Useable CA/CB		List Price	Qty
MPS1000	10,000 Lbs.	16,000 Lbs.	26,000 Lbs.	72 inches	183 cm	\$ 108,800	
MPS2000	12,000 Lbs.	21,000 Lbs.	33,000 Lbs.	110 inches	279 cm	\$ 114,400	
MPS3500	18,000 Lbs.	40,000 Lbs.	58,000 Lbs.	152 inches	386 cm	\$ 124,500	
Gold Keys Available:	GK Equipment Includes		Chassis GVW	Useable CA/CB		List Price	Qty
PS-2000-01	● OMPS-1005: Hot Shift PTO		33,000 Lbs.	110 inches	279 cm	\$ 116,780	
Options Available				Item	List Price		Qty
PS, Bar Extension 1'		LH & RH... adds 2' to base bar		OMPS-1001	\$1,200		
PS, Bar Extension 2'		LH & RH... adds 4' to base bar		OMPS-1002	\$2,020		
PS, Bar Extension 4'		LH & RH... adds 8' to base bar		OMPS-1003	\$3,010		
PS, Wet Storage Box				OMPS-1008	\$990		
PS, Tool Box				OMPS-1010	\$710		
PS, Load Hose 3" X 15'				OMPS-1004	\$880		
PS, Nozzles Extra Set				OTCT-????-7	\$600		
PS, 240v Process Heat				OTCT-????-9	\$9,770		
AT, PTO Hotshift				OMPS-1005	\$2,380		
AT, 50' Manual Hose Reel				OTCT-????-12	\$1,790		
AT, 50' Elec Rew Hose Reel				OTCT-????-13	\$4,710		
AT, Back-Up Camera				OTCT-1000	\$1,870		
AT, Auxiliary Power Package		(Export Units Only)		OTCT-1500	\$12,370		
Extended Warranty - Call For Quote							

Additional Order Information:

Total List Price	\$	-
Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODELS PS1000 PS2000 PS3500 with:

** Tank Only - Does Not Include Chassis **

FUNCTION: Steel Tank with Dished Heads, Baffles, Insulated Shell, 8 - 16 ft Telescoping Spray Bar w/ 4" Incremental Width Control, Double Flue Heating, Diesel Burners with Auto Temperature Control, 400 GPM Heated Asphalt Pump, Heated, Automatic Clean-Out Cycle w/ Heated Solvent Tank, Rear Mounted Insulated Exhaust Stack, 20" Diameter Manhole, Single Nozzle Hand Spray Wand, Master and Cab Controls, Dual Contents Gauges, Pre-Soak/Washdown System and Single Location, Auto Cleaning Strainer.