

**CB1.7 UTILITY COMPACTOR  
QINGZHOU, CHINA**Ship Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT C1.1 inline 3 cylinder, turbo-charged diesel engine (18.4 kW / 24.6 HP) with glow-plug heater  
Dual element air cleaner  
Fuel filter/water separator/manual priming pump and water indicator  
Hydrostatic transmission with drive motors in series  
Service and parking brakes

**ELECTRICAL**

Engine start switch with auto preheat  
12-volt starting and charging system  
40 ampere alternator  
Maintenance free battery (1) - 650 CCA  
Backup alarm and forward warning horn  
Product link ready  
Beacon ready

**OPERATOR ENVIRONMENT**

Hour meter gauge  
Operator warning system indicators  
-Parking brake engaged  
-High engine coolant temperature  
-Hydraulic oil temperature  
-Engine oil pressure  
-Low electrical system voltage  
-Low fuel level  
-Engine preheat  
-Vibration on  
Power steering  
Steering wheel spinner  
Manual throttle control lever  
Manual propel control lever  
Vinyl seat with:  
-Fore and aft adjustment  
-Retractable 51 mm (2 inch) seat belt  
Lockable instrument panel vandalism guard  
Platform handrails and guardrails  
Dual 12-volt power point

**DRUMS**

Smooth solid drum  
Pressurized drum watering system with selectable continuous or intermittent flow  
Single amplitude with single frequency vibratory system  
Selection of front drum or both drum vibration  
Front and rear retractable, spring-loaded, adjustable scrapers

**FLUIDS**

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

**OTHER STANDARD EQUIPMENT**

Lockable engine enclosure  
Articulated frame with safety lock  
2 transport tie-down and 4 lift points  
Tow hook  
Hydraulic oil level sight gauge  
Quick connect hydraulic pressure test ports  
23 L (6.1 gal) fuel tank capacity  
145 L (38.3 gal) water tank capacity  
O-ring face seal couplings  
Hydraulic SOS port

CB1.7 UTILITY COMPACTOR  
QINGZHOU, CHINA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the  
Base Order Management Program.**

<b>570-1306</b>	<b>CB1.7 03A UT COMP DCA2</b> . . . . . 0	<b>\$33,780</b>
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

INCLUDES:

568-7901 CB1.7 03A UTILITY COMPACTOR  
564-0665 ENGINE, CAT C1.1  
485-6082 MUFFLER, STD  
485-6202 DRUM, STANDARD  
485-6087 OIL, HYD, FACTORY FILLED  
485-6089 LIGHTS, WORKING  
485-6085 ROPS, FOLDABLE  
485-6186 SEAT, ADJ VINYL  
485-6170 PRODUCT LINK, CELLULAR PL241  
485-6081 INSTRUCTIONS, NORTH AMERICAN  
485-6189 LIGHT, WARNING  
485-6098 SWITCH, BATTERY, DISCONNECT  
485-6196 GUARD, WORKING LIGHTS  
485-6097 LIFT, SINGLE POINT

NOTE: Please refer to the Lane 1 section to complete your order.

<b>568-7901</b>	<b>CB1.7 03A UTILITY COMPACTOR</b> . . . . . 0	<b>\$31,800</b>
	LANE 2 - AVAILABLE FROM QINGZHOU FACTORY	
	LANE 3 - AVAILABLE FROM QINGZHOU FACTORY	

<b>0P-4721</b>	<b>CB1.7 MISC MATERIAL</b> . . . . . 0	<b>NC</b>
	AVAILABLE FROM QINGZHOU FACTORY	
	Only reference numbers that have the text	
	"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------	--------------------	-------------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS*****LANE SELECTION***

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM PDC

0P-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

***INSTRUCTIONS - SERVICE INSTRUCTIONS***

5P-2506	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
---------	--	---	----

USE FBC TO CONFIGURE CURRENTLY AVAILABLE ATTACHMENTS  
WILL BE REPLACED BY 421-8926

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
----------	--	---	----

***PACKING***

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
---------	--------------------------------	---	----

---

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------	--------------------	-------------------------

---

## LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

***CERTIFICATES***

P	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC . . . . . 0 Required for Canada		NC
---	----------	---	--	----

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**POWERTRAIN****ENGINE**

L	564-0665	ENGINE, CAT C1.1 . . . . .	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		

**MUFFLER**

L	485-6082	MUFFLER, STD . . . . .	0	NC
---	----------	------------------------	---	----

**DRUM TYPE**

L	485-6202	DRUM, STANDARD . . . . .	0	NC
		Tandem 900 mm (35.4") wide x 560 mm (22") solid drum.		

**ELECTRICAL****LIGHTING**

L	485-6089	LIGHTS, WORKING . . . . .	0	\$112
		Includes 2 front and 1 rear facing flood lights located in the bumpers.		
		REQUIRES: 485-6196 GUARD, WORKING LIGHTS		
L	485-6090	LIGHTS, ROADING AND WORKING . . . . .	0	\$254
		Includes 2 front high beams headlights, 1 rear facing flood light, front and rear turn signals, and front and rear indicator/parking lights. All lights are located in the bumpers.		
		This is required by Europe for CE Certification.		
		REQUIRES: 485-6096 GUARD, ROADING LIGHTS		
L	485-6091	NO LIGHTS . . . . .	0	NC
		Provides covers to the frame where lights would be.		

**OPERATOR ENVIRONMENT****OPERATOR STATION**

L	485-6084	ROPS, FIXED . . . . .	0	\$469
		Provides fixed mounted ROPS.		
L	485-6085	ROPS, FOLDABLE . . . . .	0	\$740
		Provides foldable ROPS.		

**SEAT SELECTION**

L	485-6086	SEAT, STD VINYL . . . . .	0	NC
		Standard vinyl seat with seat belt and lockable, weather resistant operator's manual storage container.		

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

**OPERATOR ENVIRONMENT (CONT.)****SEAT SELECTION (Cont.)**

L	485-6186	SEAT, ADJ VINYL W/SEAT SWITCH . . . . . 0 Adjustable vinyl seat with operator presense seat switch, seat belt, and lockable weather resistant operator's manual storage container. This is required by Europe for CE Certificaiton.		\$438
---	----------	--	--	-------

**TECHNOLOGY PRODUCTS****PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with question.

L	485-6170	PRODUCT LINK, CELLULAR PL241 . . . . . 0 Product Link Basic series PL241 uses cellular networks to transmit hour and location information for viewing in Product Link user applications, and includes remote machine disable feature. Cellular technology provides capabilities for frequent data transmission.		NC
L	590-9114	PRODUCT LINK, CELLULAR PL641 . . . . . 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	518-5177	PRODUCT LINK, SATELLITE PL631 . . . . . 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link users applications. For use in areas with poor or no cellular coverage.		\$439

**FLUIDS****HYDRAULIC OILS**

L	485-6087	OIL, HYD, FACTORY FILLED . . . . . 0		NC
---	----------	--------------------------------------	--	----

**INSTRUCTIONS****DECAL PACKAGES**

L	485-6081	INSTRUCTIONS, NORTH AMERICAN . . . . . 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).		NC
---	----------	--	--	----

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

**INSTRUCTIONS (CONT.)*****SERVICE INSTRUCTIONS***

<b>5P-2506</b>	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . .</b>	<b>0</b>	<b>NC</b>
	USE FBC TO CONFIGURE CURRENTLY AVAILABLE ATTACHMENTS WILL BE REPLACED BY 421-8926 Kit will include instructions and parts CD or parts book in the legally required language, based on shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		
<b>421-8926</b>	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . .</b>	<b>0</b>	<b>NC</b>
	The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.  Any additional media or translations not included in the kit, should be ordered through <a href="http://publications.cat.com">publications.cat.com</a>		

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

**ELECTRICAL**

P	485-6189	<b>LIGHT, WARNING</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 1 LED amber strobe light with clamp style mount. ONLY FOR USE WITH: 485-6084 ROPS, FIXED or 485-6085 ROPS, FOLDABLE CANNOT BE USED WITH: 485-6094 LIGHTS, IRH ROADING & WORKING		<b>\$252 NI</b>
P	485-6098	<b>SWITCH, BATTERY, DISCONNECT</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes mechanical disconnect switch to physically isolate electronic power source from the rest of the system.	0	<b>\$69 \$69 NI</b>

**OTHER ATTACHMENTS**

P	485-6096	<b>GUARD, ROADING LIGHTS</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes protective guarding for the roading light package. REQUIRED BY: 485-6090 LIGHTS, ROADING AND WORKING or 485-6094 LIGHTS, IRH ROADING & WORKING	0	<b>\$45 \$45 NI</b>
P	485-6196	<b>GUARD, WORKING LIGHTS</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes protective guarding for the working light package. REQUIRED BY: 485-6089 LIGHTS, WORKING	0	<b>\$45 \$45 NI</b>
P	485-6097	<b>LIFT, SINGLE POINT</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides the option for a single lifting point on the machine.	0	<b>\$319 \$319 NI</b>

**DOCUMENTATION*****CERTIFICATES***

P	354-8706	<b>YEAR OF MANUFACTURE PLATE</b> . . . . . 0 Plate attached to PIN plate showing year of Final Plant Shipping date. Required for all machines shipping to Brazil. CANNOT BE USED WITH: 485-6184 CE CERTIFICATION or 480-5749 EAC COMPLIANCE PLATE		<b>NC</b>
---	----------	---	--	-----------

**PACKING**

	OP-4834	<b>ROLL ON-ROLL OFF</b> . . . . . 0 Machine is in mobile condition and all attachments are installed unless specified.		<b>\$85 NET</b>
--	---------	--	--	-----------------

***PREPARATION ADDITIONAL***

	OP-2046	<b>PREPARATION FOR INSPECTION</b> . . . . . 0 Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.		<b>\$412 NET</b>
--	---------	---	--	------------------