

**CS34 VIBRATORY COMPACTOR
MINNEAPOLIS, MN, USA (SAP)**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C3.4B four cylinder, turbo-charged diesel engine (55 kW / 74 HP) with glow-plug heater, US EPA tier 4 final and EU stage IIIB compliant
Dual element air cleaner
Fuel filter/water separator/manual priming pump and water indicator
Dual propel pumps - 1 for drum and 1 for tires
Dual braking systems (service & parking, drum only)
Single speed hydrostatic transmission
Limited slip differential
11.2-24, 6 PR, tubeless, SFT105 tread design, bias R-3 tires

ELECTRICAL

12-volt starting and charging system
120 ampere alternator
(1) Maintenance free battery - 750 CCA
Halogen working lights - canopy mounted (2 front-facing and 2 rear-facing)
Backup alarm and forward warning horn
Beacon ready

OPERATOR ENVIRONMENT

ROPS/FOPS platform
Four heavy-duty isolation mounts for platform
Platform handrails/guardrails
Rear-view mirror
Power steering
Adjustable vinyl seat
Retractable 76 mm (3") seat belt
On-board display with audible warning alarm and interface for:
-hydraulic oil temperature gauge
-engine oil pressure gauge
-engine coolant temperature gauge
-alternator charge
-fuel level gauge
-service hour meter
-engine RPM
-Ambient air temp
-fuel rate gauge
-engine load gauge

COOLING

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

DRUMS

Smooth drum
1270 mm (50") wide x 1016 mm (40") diameter
Single amplitude with single frequency
Front adjustable steel scraper

OTHER STANDARD EQUIPMENT

Tilting operator platform
Locking steel engine enclosure
Sight gauges:
-coolant level
-hydraulic oil level
Hydraulic tank locking cap
Articulated frame with safety lock
Transport tie-down and lift points
Fuel tank with lockable cap
113 L (30 gal) fuel tank capacity
Quick connect hydraulic pressure test ports
Pictogram warning films
SOS ports:
-engine
-hydraulic
-coolant

CS34 VIBRATORY COMPACTOR
MINNEAPOLIS, MN, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the
Base Order Management Program.**

543-5242	CS34 VIBRATORY COMPACTOR 0	\$106,260
	LANE 2 - AVAILABLE FROM MINNEAPOLIS FACTORY	
	LANE 3 - AVAILABLE FROM MINNEAPOLIS FACTORY	
0P-4731	CS34 MISC MATERIAL 0	NC
	AVAILABLE FROM MINNEAPOLIS FACTORY	
	Only reference numbers that have the text	
	"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER	0	NC

TECHNOLOGY PRODUCTS***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	319-4492	NO PRODUCT LINK	0	NC
---	----------	---------------------------	---	----

OTHER ATTACHMENTS***BLADE AND SCRAPER SYSTEM***

L	386-5786	SCRAPER, STEEL, FRONT	0	\$1,085
		Standard smooth drum steel scraper mounted at the front of the drum.		

INSTRUCTIONS***DECAL PACKAGES***

L	386-5784	INSTRUCTIONS, NORTH AMERICAN	0	NC
		ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).		

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

ELECTRICAL

P	549-2433	LIGHT, WARNING BEACON 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 1 LED amber strobe light with magnetic mount.		\$223 NI
---	----------	--	--	----------

DOCUMENTATION***CERTIFICATES***

0P-1870	CERTIFICATE OF ORIGIN. 0	NC
---------	----------------------------------	----

PACKING

0P-0210	PACK, DOMESTIC TRUCK 0	NC
0P-3651	PACKING, MISC MATERIAL 0 No charge for packing. Applicable freight charges may apply.	NC