

**CB36B VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAINHydrostatic transmission
Service and parking brakes**ELECTRICAL**Engine start switch with auto preheat
Backup alarm and warning horn
65-ampere alternator
12-volt electric starting
Maintenance free 70 AH battery, 880 amp
Light roading and working**OPERATOR ENVIRONMENT**Gauges:
-LCD display with fuel level
-hour meter
-engine coolant temperature
Operator warning system indicators:
-parking brake engaged
-hydraulic oil temperature high
-engine coolant temperature high
-electrical system voltage low
-engine oil pressure low
-vibration activated
-engine preheat
Lockable, vandalism guard for instrument panel
Travel control, single lever
Seat with:
-fore and aft adjustment
Draining capabilityRetractable seat belt 50.8 mm (2inch)
Central and side handrail for easy and safe access to the machine
Steering wheel spinner
12-volt power points**DRUMS**Two smooth drums: 1400 mm (55.1 inch) wide x 800 mm (31.5 inch) diameter
Selection of front drum, rear drum or both drum vibration.
Pressurized drum watering system with continuous or intermittent modes
Water tank with low level sensor
2 x retractable, spring-loaded, self adjusting scrapers per drum**OTHER STANDARD EQUIPMENT**Locking engine enclosure
Sight gauge for hydraulic tank level
Air restriction indicator
Fuel tank
4 transport tie-down and 4 lift points
6 quick connect hydraulic pressure test ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Product Link ready
Offset hitch with 50 mm (2 inches) of manual adjustment

CB36B VIBRATORY UTILITY COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Orders Management Program.**

522-1092	CB36B UT COMP DCA2 0	\$83,550
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

INCLUDES:

488-8303 CB36B UTILITY COMPACTOR
367-6580 ENGINE, TIER 4F, STAGE 4
456-2576 PROPEL, STANDARD
367-6636 OIL, HYDR, FACTORY FILLED
432-6053 LIGHTING PACKAGE, STANDARD
364-2277 SEAT, WITH SAFETY SWITCH
376-7962 BELT, SEAT, 51MM SUSPENSION
364-2279 SUPPORT, SLIDING FOR SEAT
488-8302 ROPS, FOLDABLE
364-2297 SWITCH, BATTERY DISCONNECT
432-8451 TRAVEL CONTROL, COVER GP
510-9244 PRODUCT LINK INSTALLATION
510-9322 PRODUCT LINK, PL241
364-2281 INSTRUCTIONS, NORTH AMERICA
367-6593 PUMP, PROPEL, STANDARD

NOTE: Please refer to the Lane 1 section to complete your order.

488-8303	CB36B UTILITY COMPACTOR 6,387	\$80,170
	LANE 2 - AVAILABLE FROM MINERBIO FACTORY	
	LANE 3 - AVAILABLE FROM MINERBIO FACTORY	

Double drum vibratory compactor with 1400mm (55inch) drum width.

0G-0551	CB36B MISC MATL 0	NC
	AVAILABLE FROM MINERBIO FACTORY	

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS***LANE SELECTION***

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS***DOCUMENTATION***

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC REQUIRED BY: Canada	0	NC
---	----------	---	---	----

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Order Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN**ENGINE**

L	367-6580	ENGINE, TIER 4F, STAGE 4	1,116	NC
		Meets US EPA Tier 4 Final emissions.		

HYDRAULICS**PROPEL SELECTION**

L	456-2576	PROPEL, STANDARD	94	NC
L	456-2577	CONTROL, TRACTION	110	\$1,785
		Flow divider between front and rear drum for improved traction and minimized drum spinning.		

PUMP SELECTION

L	367-6593	PUMP, PROPEL, STANDARD	40	NC
---	----------	----------------------------------	----	----

ELECTRICAL**LIGHTING**

L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
		Standard halogen lighting package.		
L	450-0906	LIGHTING PACKAGE, LED	13	\$700
		LED lighting package consisting of two front LED headlights, one single LED rear working light, and two LED rear braking/turn signal lights.		

OPERATOR ENVIRONMENT**SEAT SELECTION**

L	361-5825	SEAT, NON SUSPENSION	0	NC
		CANNOT BE USED WITH: European Union Countries		
L	364-2277	SEAT, WITH SAFETY SWITCH	0	\$575
		Includes suspension seat with adjustable, foldable seat back and seat switch REQUIRED BY: European Union Countries		

SEAT BELT SELECTION

L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC
---	----------	-------------------------------------	---	----

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)**SEAT BELT SELECTION (Cont.)**

L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$144
---	----------	-------------------------------------	---	-------

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
---	----------	-----------------------------------	---	----

P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$770
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

ROPS SELECTION

P	364-2286	NO ROPS	0	NC
		CANNOT BE USED WITH: European Union Countries and Eurasia Economic Community Customs Union		

P	488-8301	ROPS, FIXED	0	\$1,540
			0	\$1,540 NI

		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	488-8302	ROPS, FOLDABLE	0	\$1,915
			0	\$1,915 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		

TECHNOLOGY PRODUCTS**TRAVEL CONTROL**

L	432-8451	TRAVEL CONTROL, COVER GP	0	NC
		This package includes a left side cover.		

L	367-6538	TRAVEL CONTROL, DUAL LEVER	13	\$885
			0	\$885 NI

		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		This package includes the left lever for speed control, on the left hand console		
P	453-9461	TRAVEL CONTROL, CUP HOLDER	4	\$62
			4	\$62 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
This package includes a left side cup holder.

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

TECHNOLOGY PRODUCTS (CONT.)**PRODUCT LINK COMMUNICATIONS**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-9322	PRODUCT LINK, PL241 0		NC
		Product Link Basic series PL241 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface, and includes remote machine disable feature. Cellular technology provides capabilities for frequent data transmission.		
		AVAILABLE FOR: ALL COUNTRIES, EXCLUDING CHINA		
L	454-5453	PRODUCT LINK, SATELLITE PL631 9		\$439
		Product link pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	454-5454	PRODUCT LINK, CELLULAR PL641 9		NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

PRODUCT LINK INSTALLATION

L	510-9244	PRODUCT LINK INSTALLATION 0		NC
		ONLY FOR USE WITH: 510-9322 PRODUCT LINK, PL241 or 510-9323 PRODUCT LINK, PL241		
L	463-3787	PRODUCT LINK INSTALLATION 0		NC
		ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		

FLUIDS**HYDRAULIC OIL**

L	367-6636	OIL, HYDR, FACTORY FILLED 139		NC
		Cat standard hydraulic oil.		
L	367-6637	OIL, BIO HYDR, FACTORY FILLED 143		\$1,405
		This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		
		ONLY FOR USE WITH: LANE 3 ONLY		

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

INSTRUCTIONS***SERVICE INSTRUCTIONS - PICTOGRAPH FILMS***

P	364-2281	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals, using symbols and the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec		NC
---	----------	--	--	----

SERVICE INSTRUCTIONS - MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	---	--	----

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

ELECTRICAL

P	364-2297	SWITCH, BATTERY DISCONNECT	0	\$116
---	----------	--------------------------------------	---	-------

OPERATOR ENVIRONMENT***CANOPY SELECTION***

P	364-2289	CANOPY, FIXED	71 0	\$1,170 \$1,170 NI
---	----------	-------------------------	---------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
REQUIRES: 488-8301 ROPS, FIXED

P	364-2288	CANOPY, FOLDABLE	0 0	\$1,700 \$1,700 NI
---	----------	----------------------------	--------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
REQUIRES: 488-8302 ROPS, FOLDABLE

OTHER ATTACHMENTS

C	0F-5131	SPECIAL PAINT	0	\$1,900 NET
---	---------	-------------------------	---	-------------

CONTACT CUSTOM PRODUCTS FOR AVAILABILITY.
NOTE: One color only (in place of Caterpillar yellow). Please precise
the color (RAL) in the notes.

ONLY FOR USE WITH: LANE 3 ONLY

P	457-9155	MATS, COCOA	31 31	\$825 \$825 NI
---	----------	-----------------------	----------	-------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

	0P-2046	PREPARATION FOR INSPECTION	0	\$412 NET
--	---------	--------------------------------------	---	-----------

Inspector is sent by the dealer to review the machine.
Plant must be contacted 2 weeks before the CSD date.

DRUMS

P	483-5920	BALLAST-STEEL	1,261 1,261	\$2,900 \$2,900 NI
---	----------	-------------------------	----------------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
Provides 572 kg (1261 lb) additional drum weights to provide
maximum machine operating weight.

FLUIDS

P	364-2408	SYSTEM, ANTIFREEZE PREPARATION	2	\$119
---	----------	--	---	-------

Includes preparation for a reservoir containing antifreeze liquid
to protect pumps, filters, and nozzles from freezing

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine
Order as a miscellaneous order.

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

P	444-5550	CONTROL, TRACTION KIT 0 Flow divider between front and rear drum for improved traction& minimized drum spinning.		\$1,785 NI
P	495-2669	EDGE CUTTER READY KIT 0 Includes wiring harness, water valve, fitting and hoses to connect edge cutter (sold through dealer) to machine.		\$1,485 NI

DOCUMENTATION***CERTIFICATES***

0F-5109	CERTIFICATE OF ORIGIN 0	\$89 NET
---------	-----------------------------------	----------

PACKING

0G-0044	ROLL ON-ROLL OFF 0 To be used for single order	NC
0G-0068	PACK, MISCELLANEOUS MATERIAL 0	NC