



Stripe Hog® SK3000

1 SK3000 Overview and Specifications



Illustration Disclaimer: This picture is for illustration purposes only, and does not necessarily represent the exact equipment and/or parts being purchased in this Proposal. Components may be added or changed to enhance model performance. It is the Buyer's responsibility to confirm that the equipment and/or parts listed in the Proposal Summary correctly reflect the equipment and/or parts being purchased by the Buyer in the Proposal.

1.1 Model Overview

The SK3000 is a 40,000 psi (2750 bar), 6 gpm (22.7 lpm), Stripe Hog® Waterblasting System, mounted on a 20' (6.1 m) skid-like platform.

With a couple of forklifts or a small crane, the SK3000 can quickly be loaded or unloaded from a flatbed chassis or trailer. The SK3000 **does not** come loaded onto a truck chassis or trailer. A truck or trailer must be provided by the buyer.

The traditional blasting head for the SK3000 is a single, 6"-14" (15.2cm – 35.6cm), tractor mounted blasting unit, which is ideally suited for the removal of turn arrows, stop bars, crosswalk lines, and gore markings. This zero-turn, hydrostatic drive tractor will also operate with remarkable efficiency in parking lots and multi-level parking garages. The tractor unit can just as easily be used for the removal of long lines, skip lines, and aircraft rubber deposits on airport runways. The HT1000 (as pictured below) is also available as a blasting tool option.



HT2500 – Hog Rider



HT1000 – Ground Hog

Illustration Disclaimer: This picture is for illustration purposes only, and does not necessarily represent the exact equipment and/or parts being purchased in this Proposal. Components may be added or changed to enhance model performance. It is the Buyer's responsibility to confirm that the equipment and/or parts listed in the Proposal Summary correctly reflect the equipment and/or parts being purchased by the Buyer in the Proposal.



1.2 Model Advantages



Illustration Disclaimer: This picture is for illustration purposes only, and does not necessarily represent the exact equipment and/or parts being purchased in this Proposal. Components may be added or changed to enhance model performance. It is the Buyer's responsibility to confirm that the equipment and/or parts listed in the Proposal Summary correctly reflect the equipment and/or parts being purchased by the Buyer in the Proposal.

The included HT2500 – Hog Rider will operate up to 300' (91.4 m) away from the truck making it the ideal tool for the cleaning and stripping of the floors in airport hangers, factories, and warehouses.

It can also be used for many other commercial, surface prep applications such as curing compound removal on new concrete. The overall advantage of the tractor mounted blasting head is that it works easily in confined spaces where a truck mounted blasting head cannot operate.

When in the operational mode, a joystick mounted next to the operator fully controls the left to right and vertical movement of the blasting head. When traveling to or from a jobsite, space is provided on the platform of the SK3000 for the storage and transport of the tractor.

It is quickly unloaded and loaded via a side mounted loading ramp.

Unlike the truck mounted versions of the Stripe Hog®, the SK3000 requires a 225 hp auxiliary diesel engine for the powering of the UHP water pump and the vacuum blower.

It is noteworthy though that only one engine is used to power both of these components.

Another distinguishing feature of the SK3000 is that the clean water and vacuum storage tanks are less than half the capacity of the tanks on the truck-mounted units. This dramatically reduces the overall size of the unit making it an attractive option for areas of the world where an SH7500 or an SH8000 might be too large in size.

If the size or cost of an SH8000 doesn't make sense, consider the value and portability of the SK3000.

1.3 Model Components

1.3.1 Skid

Specifications:

- **Weight Empty:** 18,800 lbs. (8546 kg) With Tractor included
- **Weight Full:** 44,435 lbs. (20155 kg) TOTAL WEIGHT FULL
- **Overall Dimensions** 252in x 97in x 107in (6.4m x 2.46m x 2.71m)




1.3.2 Chassis Requirements

Requirements:

- **Length:** At least 20ft. (240") usable frame
- **Weight Capacity:** 44,000lbs. (20000kg) minimum of cargo
- **Horsepower:** 200HP minimum if possible
- **Axes:** 1 front axle and 2 rear axles recommended (A 6x2 truck chassis or a heavy duty trailer is recommended)

THE FRAME OF THE SK3000 SKID REQUIRES 4 PLATES ON EACH SIDE



1.3.3 Auxiliary Engine

Specifications:

- **Brand:** John Deere (SK3000)
- **Horsepower** 225
- **RPM** 2200
- **PB** 0%
- **TR** 27%



1.3.4 UHP Pump

Specifications:

- **Brand:** Jetstream
- **Pressure:** 40,000 psi (2750 bar)
- **Flow:** 6 gpm (22.7 lpm)
- **Water Filtration:** Two stage filtration 20 micron / 1 micron
- **Color:** Stripe Hog® Safety Yellow



1.3.5 Smart Vac®

Specifications:

- **CFM:** 718 @ 2850 RMP
- **Vacuum Silencer Decibel Readings:** 82.5 db @ 30 m and 88db @ 20m
- **Color:** Stripe Hog® Safety Yellow
- Vacuums up to 400ft (122m) away from unit



1.3.6 Smart Tank®

Specifications:

- **Storage:** 1,200 gallons (4542 liters)
- **Construction:** Stainless Steel
- **Color:** Stripe Hog® Safety Yellow
- Separation of recovered liquid and debris
- Debris disposal in nearly a dry state





1.3.7 Water Tank

Specifications:

- **Storage:** 1,050 gallons (3975 liters)
- **Construction:** Polyethylene Plastic
- **Color:** Stripe Hog® Safety Yellow



1.3.8 Blasting Head(s)

Specifications:

- Blasting widths from 6"-36" (15.2 cm – 91.4 cm) are available. Stripe Hog models do not come standard with any particular size of spray bars. Please consult with your Sales Representative to choose the blasting head (s) that will work best for you.
- Joystick control for positioning blasting head
 - Infinite blasting positions from left-side to right-side

1.3.9 Additional Specifications

Specifications:

- **Spare Parts System:** Inventory system stocked with spare part package
- **Safety Lighting:** 2 / 50 watt strobes
- **Night Working Lighting:** 2 / High Intensity Discharge (HID) Floodlights
- **Tool Boxes:** Polished diamond plate aluminum





2 Delivery Terms

Production will commence upon receipt of the last page of this proposal signed and initial deposit. Generally, production is completed within one hundred and twenty (120) days of receipt of the chassis and the completed chassis will be released from our facilities when the final payment is received. An expedited delivery date can be purchased for every week sooner than the standard delivery time. Please ask your sales representative for a custom quote if a quicker than normal delivery date is needed. If outside the U.S.A, shipping generally takes between thirty (30) to sixty (60) days from port to port. Furthermore, delivery is subject to the understanding that Hog Technologies will not be held responsible for delays or non-performance caused by strikes, riots, sabotage, material shortage, priorities, acts of God, the public enemy, the Government or its agencies, delays in common carrier, war, or any other cause beyond the control of Hog Technologies that may involve us or our suppliers.

Units are shipped Ex-Works Stuart, Florida, USA. Buyer assumes all responsibility and liability for shipping and all related costs, which may include but is not limited to disassembly, packaging, crate preparation, loading, transport, warehouse fees, unloading, forklift rental, and handling. Prices become fixed upon our acceptance of your purchase order unless escalation terms are included and mutually agreed upon in writing.

Hog Technologies at the time of acceptance of this proposal will give the customer an estimated delivery date. This estimated date will greatly depend upon the quoted date Hog Technologies receives from the chassis dealer(s). Any delays in the delivery of the chassis caused by the chassis dealer are beyond Hog Technologies control. To this end, we discourage the customer from scheduling jobs based on this estimated date and encourage the customer to wait until Hog Technologies can provide a more firm delivery date.

If a shipping rate is provided to the customer, the rate shown shall be in effect as specified by the Effective Date and Expiration Date as listed above. When a shipment moves outside the parameters of this quote, it must be requoted at actual time of shipping. If the shipping amount increases, the customer agrees to take responsibility for any additional charges WT may incur.

3 Training

3.1 Agenda

Once the Stripe Hog unit is received and ready for operational training; pictures of the unit on location must be sent to training@hogtechnologies.com. Upon receipt, all travel logistics will be completed and the training schedule confirmed. Each training option may be conducted at the Hog Technologies headquarters in Stuart, Florida, USA, or at the customer's location. Travel expenses incurred when traveling to the customer's location will be billed to the customer at cost, once the training is complete.

Initial training on the Stripe Hog will be for up to 4 people, whether operator or mechanic, for 4 consecutive 9 hour days. Beyond 4 people, there will be an additional fee of \$1200 per person to accommodate a larger class and resulting extended schedule. A shift supervisor may attend all or part of the class event. Besides a designated shift supervisor, persons not intended to receive a Certificate of Completion may not attend the class in total or any portion, without preauthorization of the trainer. Hog Technologies will provide training manuals and materials for the amount of people specified to participate in the training. We can supply additional manuals upon request. The fee is \$75.00 per manual.

The customer may choose the location for the training whether it is at the Hog Technologies headquarters in Stuart, Florida, or at the customer's designated location. If the customer's designated location is chosen, the customer agrees to reimburse Hog Technologies for the trainer's airfare, lodging, rental car and travel time.

In cases where a translator is needed the trainer will admit the translator over and above these limits, and the translator will not be eligible for Certificate of Completion. Hog Technologies can assist with procurement of a translator; the expense will be billed direct to the customer.

3.2 Certification and Licensing

To receive a Certificate of Completion an individual must attend and fully participate in 100% of the training event. They will also be required to pass all written examinations and visual observations. All certifications are valid for one year. Annual renewals of certificates and advancement to licensed operators are available at the customer's designated location or at Hog Technologies headquarters in Stuart, Florida; Webinars may also be available. Please see salesperson for applicable schedule and pricing.





WARNING: Placing an uncertified/unlicensed operator behind the wheel of your Stripe Hog may cause serious damage to the road or runway surface and/or your Stripe Hog. Uncertified/unlicensed operators diminish the productivity, reliability and lifespan of your unit.

Operation and/or maintenance by persons without Hog Technologies issued Certifications/Licenses or with expired Certifications/Licenses will void warranty.

Please be aware that choosing an appropriate operator for this vehicle will have great implications on how successful you will be with your new purchase. Please review our "Operator Selection Guide" that is designed as a simple tool to assist in framing your thinking relative to operator selection. Although our trainers will make every attempt to train the trainee that you have selected, we make no guarantees that your selection will be "certified" at the end of the training. Although he or she will receive a certificate of completion, we recommend that you allow only "certified" operators behind the wheel of your vehicle to: 1) maximize the productivity of your machine. 2) Minimize operational costs. 3) Ensure no damage on every job 4) Ensure warranty claims are processed.

4 Maintenance, Service and Support

Our responsibility does not end when we sell our equipment. In fact, it is just the beginning of the relationship we enjoy with our customers. We provide first class support to our customers by offering the following:

- All Stripe Hog® customers are initially granted a complimentary membership to the exclusive Stripe Hog® support center online (www.technologuessupport.com). The support center features news releases, product upgrades, training videos, white papers, and performance tips. The website has a forum to interact with other Stripe Hog® owners and operators in 30 different countries. You can also access the online store where you can order spare parts 24/7.
- Hog Technologies maintains a 24/7 customer support phone line with skilled and trained technical staff members. Our pieces of equipment operate in over 30 countries and 11 different time zones; all customers would agree this service is vital to their ongoing operations. Regardless of your location or time zone, we respond to all customer calls immediately. Service is included for first year, subsequent years will be billed at \$1,500.00 per year on the anniversary of your initial training.

5 Warranty

Waterblasting, LLC. DBA Hog Technologies, hereinafter called WT, warrants its components to be free from defects in material and workmanship while under normal use and service. WT will, at its option, either repair or replace free of charge any such part that appears to us to be defective in material or workmanship during the warranty period. The warranty evaluation by WT as to the cause of the defect shall be conclusive.

For approved warranty shipments, WT will provide no charge Fed-ex ground or Fed-Ex Economy shipping. If customer requests expedited shipping, the difference in the shipping costs will be invoiced to the customer.

WT reserves the right to request the component(s) to be returned, freight pre-paid, for analysis before proceeding with any warranty claim. The customer shall be responsible for payment of any replacement components requested. If the warranty claim is approved by WT, credit will be issued for the components under warranty.

No warranty is made, either expressed or implied, for defects, failures or malfunctions resulting from corrosion, misapplication, over-pressurization, insufficient maintenance, lack of maintenance and any modifications to the component as supplied by WT.

Any components replaced during the period of warranty will be warranted only during the period of the initial warranty, and no extensions shall be made, unless in writing by WT in addition to the provision of the terms of the original warranty.

WT will not be liable for damage, abnormal wear or consequential damage to their system components resulting from the use of replacement components that are not furnished by WT.

WT will not be liable for charges incidental to the removal of damaged or defective components, lost time and profits, or any consequential damages resulting from failure of the component.





WT reserves the right to make improvements to future models without the need to retrofit or upgrade prior models. WT shall not be obligated to perform retrofits and/or modifications to components manufactured prior to the incorporation of the new design and specifications.

Components that are not originally manufactured by WT, including but not limited to, the truck chassis, Jetstream Pump, OMSI (Gear Box), Dresser Roots Blower, are warranted only to the extent of the original manufacturer's warranty and are subject to their allowance to us if found defective by them. Copies of other manufacturers warranty statements are supplied at the time of sale. WT will assist with warranty claims on components not originally manufactured by WT.

WT Warranty Schedule - Warranty starts from the date of acceptance by the purchaser. Date of acceptance shall be defined as the time that the Stripe Hog is received by the purchaser. Acceptance of the Stripe Hog shall imply agreement to the terms and conditions of this warranty.

- 1 - 365 Days: 100% Parts and 100% Labor *

*. For approved warranty claims that include labor: If such labor is provided at customer location and not at WT headquarters, WT reserves the right to invoice customer for reimbursement of travel-related expenses.

6 Patents

Hog Technologies agrees to hold the buyer harmless against any claims of infringement of any US patent now issued which involves exclusive infringement of any mechanical apparatus claim of such patent, provided we are immediately notified in writing upon receipt of such claim are given complete control of the defense with the right to defend or settle. Under no circumstances shall our liability hereunder exceed the price of the equipment alleged to infringe. We reserve the right to make changes in the equipment at any time for the purpose of avoiding patent infringement. See the attached URL for more information on our patents. <http://www.hogtechnologiestechnologies.com/patent-information/>

7 Acceptance

This proposal may be withdrawn or altered in any way or to any extent at any time prior to written acceptance of your purchase order by an authorized agent of Hog Technologies and shall not be binding upon us or create any obligation on our part unless or until we have accepted your order for the equipment offered herein. After acceptance, the contract between us relating to the sale and purchase of the equipment shall be construed in accordance with the laws of the State of Florida.

8 Validity

This proposal is valid for a period of thirty (30) days from the date of issue. Individual provisions of the proposal are severable and if any provision of this proposal shall be invalid, such invalidity shall not affect any other provision that can be given effect without such invalid provision.

9 Prices

Prices are provided in US Dollar only and are subject to change without notice at any time prior to the acceptance of your purchase order and/or after the expiration date specified in this quote. Hog Technologies reserves the right to inform you of and correct prices herein which may be made in error at any time prior to the acceptance of your purchase order.

Hog Technologies is not responsible for fluctuations in currency exchange rates and the price is in US Dollars (USD), fixed at the international exchange rate in effect at the time the signed proposal is received and accepted by Hog Technologies.

Prices are subject to an increase in amount to any tax or levy we may be required to collect or pay upon the sale of the equipment herein quoted and any tax measured in whole or in part by the amount of such sale. If not included in the invoice for the equipment, such amount may be invoiced at a later date.

Buyer assumes all responsibility and liability for shipping and all related costs, which may include but is not limited to disassembly, packaging, crate preparation, loading, transport, warehouse fees, unloading, forklift rental, and handling. Prices become fixed upon our acceptance of your purchase order unless escalation terms are included and mutually agreed upon in writing.





10 Terms of Payment

Hog Technologies only accepts payment in US Dollar currency. Payments can be made in the form of a check or wire transfer from banks based within the USA. Outside of the USA, wire transfers are accepted. The Terms of Payment will include both the Waterblasting System and Chassis payable to Waterblasting, LLC. Federal Excise Tax (FET) will be included on the final invoice if applicable. The customer agrees that if payment is not made, Waterblasting, LLC. reserves the right to place a lien on the Waterblasting System and Chassis.

- 100% due Net 30 days per HGACBuy Terms.

11 Summary

Date: 12/1/2019

ITEM	DESCRIPTION	QTY	UNIT PRICE	EXTENDED PRICE
Stripe Hog Equipment:	SK3000 Waterblasting System SW04-20F13	1	\$403,177.86	\$403,177.86
Spare Parts:	SK3000 Spare Parts System	1	Included	Included
Options/Accessories:	Tier 4 Auxiliary Engine	1	Included	Included
Spray Bars System(s):	Spray Bars, Protectors, Shrouds & Brushes are required and must be selected at time of order depending on User's applications	1	TBD	TBD
Training:	Refer To Section 3.1	1	Included	Included
	24/7 Technical Support (<i>Service to automatically renew & bill on the anniversary date of each year</i>)	1	Included	Included
Waterblasting System Sub-Total:				\$403,177.86 *
Order Processing Charge:	HGAC 1.5% Order Processing Charge	1	-\$6,047.67	-\$6,047.67
Trainer Travel:	Training is provided at Hog Technologies factory located in Stuart, Florida. If customer requests the training at their facility there will be Estimated Trainer Travel costs added at the time of order.	1	TBD	TBD
Shipping:	Estimated shipping will be calculated at the time of order based on the specific Users location and choice of shipping method.	1	TBD	TBD
Waterblasting System Total:				\$397,130.19 *
Chassis Selection:	Mack GU432 (Optional)	1		Pricing on Form E

* Waterblasting System and Chassis price does not include any applicable federal, state or local tax including, but not limited to, a Federal Excise Tax (12%), or Florida sales tax (6.5%). Buyer shall be responsible for the payment of all applicable federal, state and local taxes at time of delivery. If Buyer is exempt from FET, an exemption form must be submitted to Hog Technologies with this Proposal and/or corresponding purchase order. Otherwise, FET will be applicable and included in this sale.

