

# Stripe Hog® 5.2

## 1 Stripe Hog 5.2 Overview & Specifications



**Illustration Disclaimer:** This picture is for illustration purposes only, and does not necessarily represent the exact equipment and/or parts being offered in this Proposal. Components may be added or changed to enhance model performance. It is the Buyer's responsibility to confirm that the equipment and/or parts listed in the Proposal Summary correctly reflect the equipment and/or parts being purchased by the Buyer in the Proposal.

### 1.1 Model Overview

- Skid mounted 40K psi waterblasting system.
- Is easy and cost efficient to mobilize.
- Removes waterborne paint with the least amount of negative impact to the surface.
- Removes runway rubber deposits from grooved runways with the least amount of negative impact to the surface.
- Removes paint from grooved runways with the least amount of negative impact to the surface.
- Simultaneous vacuum recovery protects the environment and allows for application of new markings in 15-20 minutes on an average weather day.
- Separates recovered water from recovered debris.
- Disposes recovered water without requiring disposal of recovered debris.
- Disposes solid debris in nearly dry state.
- Custom component painting option supports company branding of end user.



## 1.2 UHP Pump

### Specifications:

- Pressure: 40,000 psi (2750 bar)
- Flow: 5.2 gpm (19.7 lpm)

## 1.3 Smart Vac

### Specifications:

- CFM: 750 CFM (1,274 m<sup>3</sup> / hr.)
- Decibel Readings: 82.5db @ 65 ft. (20m)
- Patented silencer, Patented 3 stage filtering

## 1.4 Auxiliary Engine

### Specifications:

- Horsepower 140 HP Cummins
- Tier 3; (Available to meet other emission requirements)

## 1.5 Smart Tank

### Specifications:

- Storage: 700 gallons of water & 900 gallons of debris
- Construction: Stainless Steel
- Separation of recovered liquid and debris
- Debris disposal in nearly a dry state

## 1.6 Self-Rotating Ground Hog – HT1000SR

### Specifications:

- Cutting Path: 8" (15.24 cm) to 14" (35.5 cm) path
- Weight: 105 lbs. (47.7 kg)
- Cleaning Capacity: 500-1500 sq. ft./hr
- Operating Pressure: 40,000 psi
- Flow: Up to 9.2 gpm
- Vacuum: Demand 750 CFM
- Construction: Aluminum & Stainless Steel
- Motor: 2,500 rpm hydraulic
- Spray Bars: Patented 8" or 14"





## 2 Delivery Terms

Production will commence upon receipt of initial deposit. Production completion is estimated at one hundred and twenty (120) days and the completed system will be released from our facilities when the final payment is received. Hog Technologies has the right to change the delivery date, without advance notice, at any time and without penalty. **An expedited delivery date can be purchased for every week sooner than the standard delivery time if the production time is available. Please ask your sales representative for a custom quote if a quicker than normal delivery date is needed.**

If outside the U.S.A, shipping generally takes between thirty (30) to sixty (60) days from port to port. Furthermore, delivery is subject to the understanding that Hog Technologies will not be held responsible for delays or non-performance caused by strikes, riots, sabotage, material shortage, priorities, acts of God, the public enemy, the Government or its agencies, delays in common carrier, war, or any other cause beyond the control of Hog Technologies that may involve us or our suppliers.

FOB 3920 SE Commerce Ave, Stuart, FL 34997. Buyer assumes all responsibility and liability for shipping and all related costs, which may include but is not limited to disassembly, packaging, crate preparation, loading, transport, warehouse fees, unloading, forklift rental, and handling. Prices become fixed upon our acceptance of your purchase order unless escalation terms are included and mutually agreed upon in writing.

Hog Technologies at the time of acceptance of this proposal will give the customer an estimated delivery date. This estimated date will greatly depend upon the quoted date Hog Technologies receives from the chassis dealer(s). Any delays in the delivery of the chassis caused by the chassis dealer are beyond Hog Technologies control. To this end, we discourage the customer from scheduling jobs based on this estimated date and encourage the customer to wait until Hog Technologies can provide a firmer delivery date.

***If a shipping rate is provided to the customer, the rate shown shall be in effect as specified by the Effective Date and Expiration Date as listed above. When a shipment moves outside the parameters of this quote, it must be requested at actual time of shipping. If the shipping amount increases, the customer agrees to take responsibility for any additional charges HOG may incur.***

## 3 Training

### 3.1 Agenda

Once the Stripe Hog unit is received and ready for operational training; pictures of the unit on location must be sent to [training@hogtechnologies.com](mailto:training@hogtechnologies.com). Upon receipt, all travel logistics will be completed and the training schedule confirmed. Each training option may be conducted at the Hog Technologies headquarters in Stuart, Florida, USA, or at the customer's location. Travel expenses incurred when traveling to the customer's location will be billed to the customer at cost, once the training is complete.

Initial training on the Stripe Hog will be for up to 4 people, whether operator or mechanic, for 4 consecutive 9 hour days. Beyond 4 people, there will be an additional fee of \$1200 per person to accommodate a larger class and resulting extended schedule. A shift supervisor may attend all or part of the class event. Besides a designated shift supervisor, persons not intended to receive a Certificate of Completion may not attend the class in total or any portion, without preauthorization of the trainer.

Hog Technologies will provide training manuals and materials for the amount of people specified to participate in the training. We can supply additional manuals upon request. The fee is \$75.00 per manual.

The customer may choose the location for the training whether it is at the Hog Technologies headquarters in Stuart, Florida, or at the customer's designated location. If the customer's designated location is chosen, the customer agrees to reimburse Hog Technologies for the trainer's airfare, lodging, rental car and travel time.

In cases where a translator is needed the trainer will admit the translator over and above these limits, and the translator will not be eligible for Certificate of Completion. Hog Technologies can assist with procurement of a translator; the expense will be billed direct to the customer.

### 3.2 Certification and Licensing

To receive a Certificate of Completion an individual must attend and fully participate in 100% of the training event. They will also be required to pass all written examinations and visual observations. All certifications are valid for one year. Annual renewals of certificates and advancement to licensed operators are available at the customer's designated location or at Hog Technologies headquarters in Stuart, Florida; Webinars may also be available. Please see salesperson for applicable schedule and pricing.





**WARNING:** Placing an uncertified/unlicensed operator behind the wheel of your Stripe Hog may cause serious damage to the road or runway surface and/or your Stripe Hog. Uncertified/unlicensed operators diminish the productivity, reliability and lifespan of your unit.

**Operation and/or maintenance by persons without Hog Technologies issued Certifications/Licenses or with expired Certifications/Licenses will void warranty.**

Please be aware that choosing an appropriate operator for this vehicle will have great implications on how successful you will be with your new purchase. Please review our "Operator Selection Guide" that is designed as a simple tool to assist in framing your thinking relative to operator selection. Although our trainers will make every attempt to train the trainee that you have selected, we make no guarantees that your selection will be "certified" at the end of the training. Although he or she will receive a certificate of completion, we recommend that you allow only "certified" operators behind the wheel of your vehicle to: 1) maximize the productivity of your machine. 2) Minimize operational costs. 3) Ensure no damage on every job 4) Ensure warranty claims are processed.

## 4 Maintenance, Service and Support

Our responsibility does not end when we sell our equipment. In fact, it is just the beginning of the relationship we enjoy with our customers. We provide first class support to our customers by offering the following:

- All customers are initially granted a complimentary membership to the exclusive Stripe Hog support center online ([www.strirehogsupport.com](http://www.strirehogsupport.com)). The support center features news releases, product upgrades, training videos, white papers, and performance tips. The website has a forum to interact with other Hog owners and operators in 30 different countries. You can also access the online store where you can order spare parts 24/7.
- Hog Technologies maintains a 24/7 customer support phone line with skilled and trained technical staff members. Our pieces of equipment operate in over 30 countries and 11 different time zones; all customers would agree this service is vital to their ongoing operations. Regardless of your location or time-zone, we respond to all customer calls immediately. Service is included first year, subsequent years will be automatically billed at \$1,500 per year on the anniversary of your initial training.

## 5 Warranty

**Waterblasting, LLC. DBA Hog Technologies**, hereinafter called HOG, warrants its components to be free from defects in material and workmanship while under normal use and service. HOG will, at its option, either repair or replace free of charge any such part that appears to us to be defective in material or workmanship during the warranty period. The warranty evaluation by HOG as to the cause of the defect shall be conclusive.

For approved warranty shipments, WBL will provide ground or economy shipping at no charge. If customer requests expedited shipping, the difference in the shipping costs will be invoiced to the customer.

HOG reserves the right to request the component(s) to be returned, freight pre-paid, for analysis before proceeding with any warranty claim. The customer shall be responsible for payment of any replacement components requested. If the warranty claim is approved by HOG, credit will be issued for the components under warranty.

No warranty is made, either expressed or implied, for defects, failures or malfunctions resulting from corrosion misuse, misapplication, over-pressurization, insufficient maintenance, lack of maintenance and any modifications to the component as supplied by HOG.

Any components replaced during the period of warranty will be warranted only during the period of the initial warranty, and no extensions shall be made, unless in writing by HOG in addition to the provision of the terms of the original warranty.

HOG will not be liable for damage, abnormal wear or consequential damage to their system components resulting from the use of replacement components that are not furnished by HOG.

HOG will not be liable for charges incidental to the removal of damaged or defective components, lost time and profits, or any consequential damages resulting from failure of the component.





HOG reserves the right to make improvements to future models without the need to retrofit or upgrade prior models. HOG shall not be obligated to perform retrofits and/or modifications to components manufactured prior to the incorporation of the new design and specifications.

Components that are not originally manufactured by HOG, including but not limited to, the truck chassis, Jetstream Pump, OMSI (Gear Box), Dresser Roots Blower, are warranted only to the extent of the original manufacturer's warranty and are subject to their allowance to us if found defective by them. Copies of other manufacturers warranty statements are supplied at the time of sale. HOG will assist with warranty claims on components not originally manufactured by HOG.

**HOG Warranty Schedule** - Warranty starts from the date of acceptance by the purchaser. Date of acceptance shall be defined as the time that the Stripe Hog is received by the purchaser. Acceptance of the Stripe Hog shall imply agreement to the terms and conditions of this warranty.

• 1 - 365 Days: 100% Parts and 100% Labor \*

\*. For approved warranty claims that include labor: If such labor is provided at customer location and not at HOG headquarters, HOG reserves the right to invoice customer for reimbursement of travel-related expenses.

## 6 Patents

Hog Technologies agrees to hold the buyer harmless against any claims of infringement of any US patent now issued which involves exclusive infringement of any mechanical apparatus claim of such patent, provided we are immediately notified in writing upon receipt of such claim are given complete control of the defense with the right to defend or settle. Under no circumstances shall our liability hereunder exceed the price of the equipment alleged to infringe. We reserve the right to make changes in the equipment at any time for the purpose of avoiding patent infringement. See the attached URL for more information on our patents. <http://www.hogtechnologiestechnologies.com/patent-information/>

## 7 Acceptance

This proposal may be withdrawn or altered in any way or to any extent at any time prior to written acceptance of your purchase order by an authorized agent of Hog Technologies and shall not be binding upon us or create any obligation on our part unless or until we have accepted your order for the equipment offered herein. After acceptance, the contract between us relating to the sale and purchase of the equipment shall be construed in accordance with the laws of the State of Florida.

## 8 Validity

This proposal is valid for a period of thirty (30) days from the date of issue. Individual provisions of the proposal are severable and if any provision of this proposal shall be invalid, such invalidity shall not affect any other provision that can be given effect without such invalid provision.

## 9 Prices

Prices are provided in US Dollar only and are subject to change without notice at any time prior to the acceptance of your purchase order and/or after the expiration date specified in this quote. Hog Technologies reserves the right to inform you of and correct prices herein which may be made in error at any time prior to the acceptance of your purchase order.

Hog Technologies is not responsible for fluctuations in currency exchange rates and the price is in US Dollars (USD), fixed at the international exchange rate in effect at the time the signed proposal is received and accepted by Hog Technologies.

Prices are subject to an increase in amount to any tax or levy we may be required to collect or pay upon the sale of the equipment herein quoted and any tax measured in whole or in part by the amount of such sale. If not included in the invoice for the equipment, such amount may be invoiced at a later date.

Buyer assumes all responsibility and liability for shipping and all related costs, which may include but is not limited to disassembly, packaging, crate preparation, loading, transport, warehouse fees, unloading, forklift rental, and handling. Prices become fixed upon our acceptance of your purchase order unless escalation terms are included and mutually agreed upon in writing.







## 10 Terms of Payment

Hog Technologies only accepts payment in US currency. Payments can be made in the form of a check or wire transfer from banks based within the USA. Outside of the USA, wire transfers are accepted. The customer agrees that if payment is not made, Waterblasting, LLC. reserves the right to place a lien on the Hog System. The Terms of Payment will include both the Hog System and Chassis payable to Waterblasting, LLC. Federal Excise Tax (FET) will be included on the final invoice if applicable.

- 100% Net 30 days per HGACBuy Terms.

## 11 Summary

Date: 12/1/2019

ITEM	DESCRIPTION	QTY	UNIT PRICE	EXTENDED PRICE
<b>Stripe Hog Equipment:</b>	5.2 SKID Waterblasting System with HT1000SR Ground Hog Walk Behind Tool (Includes 14" 15 Jet Spray Bar, Protector, Shroud, Brush & 25' hose) SW04-20F08	1	\$215,432.96	\$215,432.96
<b>Spare Parts:</b>	5.2 Spare Parts System	1	Included	Included
<b>Options/Accessories:</b>	Tier 4 Engine	1	Included	Included
<b>Training:</b>	Refer To Section 3.1	1	Included	Included
	24/7 Technical Support (Service to automatically renew & bill on the anniversary date of each year)	1	Included	Included
<b>Waterblasting System Sub-Total:</b>				<b>\$215,432.96 *</b>
Order Processing Charge:	HGAC 1.5% Order Processing Charge	1	-\$3,231.49	-\$3,231.49
Trainer Travel:	Training is provided at Hog Technologies factory located in Stuart, Florida. If customer requests the training at their facility there will be Estimated Trainer Travel costs added at the time of order.	1	TBD	TBD
Shipping:	Estimated shipping will be calculated at the time of order based on the specific Users location and choice of shipping method.	1	TBD	TBD
<b>Waterblasting System Total:</b>				<b>\$212,201.47 *</b>

\* Waterblasting System and Chassis price does not include any applicable federal, state or local tax including, but not limited to, a Federal Excise Tax (12%), or Florida sales tax (6.5%). Buyer shall be responsible for the payment of all applicable federal, state and local taxes at time of delivery. If Buyer is exempt from FET, an exemption form must be submitted to Hog Technologies with this Proposal and/or corresponding purchase order. Otherwise, FET will be applicable and included in this sale.

