

# Stripe Hog® SH8000

## 1 SH8000 Overview and Specifications

### 1.1 Model Overview



**Illustration Disclaimer:** This picture is for illustration purposes only, and does not necessarily represent the exact equipment and/or parts being offered in this Proposal. Components may be added or changed to enhance model performance. It is the Buyer's responsibility to confirm that the equipment and/or parts listed in the Proposal Summary correctly reflect the equipment and/or parts being purchased by the Buyer in the Proposal.

The Stripe Hog™ SH8000 is a waterblasting and recovery system designed for either asphalt or concrete airfields and roadways for paint and thermoplastic removal, surface preparation, road retexturing, hydraulic spill cleanup, and removal of rubber deposits from airport runways.

The SH8000 is equipped with ultra-high pressure needle sharp waterblasting jets creating as much 40,000 psi and up to 12 gpm (45.4 lpm). It uses ordinary fresh water without chemicals or detergents, along with a vacuum recovery system. Separating water from solids, it processes the reclaimed water for safe and easy disposal.

The SH8000 blasting heads are available from 6 to 36 inches to remove linear lines or large painted areas, with rates up to 40,000 sq. ft. (3,716 m2) per hour at 12 gpm (45.4 lpm). (36" heads are for cleaning only. Double 36" heads are only available on SH8000).

With a large water and debris tank capacity the SH8000 can stay on the job for several hours before dumping or replenishing with fresh water. An easy-to-use dump system and a remote-control panel in the cab make this truck a one-person operation... saving both time and money.

The Stripe Hog™ SH8000 can be built on various domestic and international truck chassis to meet the roadworthiness criteria in your area. Complete with workspace lights and strobes it can be painted in a variety of colors to meet safety requirements. Being 100% road worthy at highway speeds means it can be quickly moved or exit a runway in seconds.

Our patented bladder tanks are optional and allow you to carry both fresh water and debris water in the same footprint allowing you to use the debris collection box for dewatered material only, radically increasing up time.



## 1.2 Model Advantages



**Illustration Disclaimer:** This picture is for illustration purposes only, and does not necessarily represent the exact equipment and/or parts being offered in this Proposal. Components may be added or changed to enhance model performance. It is the Buyer's responsibility to confirm that the equipment and/or parts listed in the Proposal Summary correctly reflect the equipment and/or parts being purchased by the Buyer in the Proposal.

- Simultaneous removal of parallel markings with the double blasting heads in the side-by-side configuration.
- Rapid removal of single, continuous lines with the double blasting heads in the tandem configuration.
- Rapid cleaning and rejuvenation of runway centerline marking retro-reflectivity reduces dramatically the frequency of center line painting.
- Retexturing in extreme hot climates where friction is lost because of asphalt bleeding.
- Runway retexturing in climates with heavy snow and ice where snow removal brooms polish the surface of the runway.
- The SH8000 will shut down and vacate the runway in 45 seconds.
- Simultaneous vacuum recovery allows for application of new markings in minutes
- A large quantity of spares allows for 98% of parts shipped in the same day orders are received
- Our spare parts SYSTEM results in minimal downtime
- Custom painting supports company branding of end user
- Our careful selection of brands means you'll have local support for many of the components found on a Stripe Hog
- High density polyethylene lightweight water tanks
- All stainless steel debris collection box
- A regimented training system as well as an ongoing certification program that involves continuing education in order to keep your men achieving the highest productivity with the least amount of consumables and repairs necessary and causing the least amount of negative impact to the road or runway surface.



## 1.3 Model Components

### 1.3.1 Chassis

**Specifications:**

Outlined on the Summary Page and specification sheet will be provided upon request.

- **Color:** White

### 1.3.2 UHP Pump

**Specifications:**

- **Brand:** Jetstream
- **Pressure:** 40,000 psi (2750 bar)
- **Flow:** 12 gpm (45.42 lpm)
- **Water Filtration:** Two stage filtration: 20 micron/1 micron absolute
- **Color:** Stripe Hog® Safety Yellow

### 1.3.3 Smart Vac®

**Specifications:**

- **CFM:** 1400
- **Decibel Readings:** 82.5 db @ 30 m and 88db @ 10m
- **Color:** Stripe Hog® Safety Yellow
- Industrial silencer
- Final stage filter to protect blower

### 1.3.4 Smart Tank®

**Specifications:**

- **Storage:** 1,600 gallons (6056 liters)
- **Construction:** Stainless Steel
- **Color:** Stripe Hog® Safety Yellow
- Patented system for recovered liquid and debris
- Debris disposal in nearly dry state
- 21" manway for interior access
- Includes air door seal
- 2 manual full port 4" ball valves for debris water release on vacuum tank



### 1.3.5 Water Tank

**Specifications:**

- **Storage:** 3,150 gallons (11924 liters)
- **Construction:** High Density Polyethylene
- **Color:** Stripe Hog® Safety Yellow

### 1.3.6 Hog Arm

**Specifications:**

- 4-Axis Hog Arm STANDARD  
Supports sizes up to double 14" (35.56 cm) heads. Double 22" (55.88 cm) heads recommended at job site only.
- 5-Axis Hog Heavy Duty Arm UPGRADE  
Supports sizes up to double 22" (55.88 cm) heads, single 36" (91.44 cm) head and double 36" (182.88cm) blasting heads.

### 1.3.7 In-Cab Controls

**Specifications:**

- Standard in-cab controls include the latest pistol grip, which enables blasting on skip lines

### 1.3.8 Blasting Head(s)

**Specifications:**

- Blasting widths from 6"- 72" (15.2 cm -182.88 cm) are available. Stripe Hog models do not come standard with any particular size of spray bars. Please consult with your Sales Representative to choose the blasting head (s) that will work best for you. Please note: Double 22" heads, single 36" head and double 36" heads require the 5-axis hydraulic arm.
- Joystick control for positioning blasting head
  - Infinite blasting positions from left-side to right-side
- HD Thru Shaft included, optional to select Standard Thru-Shaft
  - Please consult with your Sales Representative to choose the blasting head (s) and Thru-Shaft (s) that will work best for you.

### 1.3.9 Additional Specifications

**Specifications:**

- **Spare Parts System:** Inventory system for spare parts
- **Safety Lighting:** (4) 50 watt strobes
- **Night Working Lighting:** (3) LED Floodlights
- **Tool Boxes:** Polished diamond plate aluminum
- **Distance Measuring Device:** Skip Line Controls MCT-07





## 2 Delivery Terms

Production will commence upon receipt of the last page of this proposal signed and initial deposit. General production is completed within one hundred and twenty days (120) and the completed chassis will be released from our facilities when the final payment is received. Waterblasting has the right to change the delivery date, without advanced notice, at any time and without penalty. **An expedited delivery date can be purchased for every week sooner than the standard delivery time if the production time is available. Please ask your sales representative for a custom quote if a quicker than normal delivery date is needed.**

If outside the U.S.A, shipping generally takes between thirty (30) to sixty (60) days from port to port. Furthermore, delivery is subject to the understanding that Hog Technologies will not be held responsible for delays or non-performance caused by strikes, riots, sabotage, material shortage, priorities, acts of God, the public enemy, the Government or its agencies, delays in common carrier, war, or any other cause beyond the control of Hog Technologies that may involve us or our suppliers.

FOB 3170 SE Slater Street, Stuart, FL 34997. Buyer assumes all responsibility and liability for shipping and all related costs, which may include but is not limited to disassembly, packaging, crate preparation, loading, transport, warehouse fees, unloading, forklift rental, and handling. Prices become fixed upon our acceptance of your purchase order unless escalation terms are included and mutually agreed upon in writing.

Hog Technologies at the time of acceptance of this proposal will give the customer an estimated delivery date. This estimated date will greatly depend upon the quoted date Hog Technologies receives from the chassis dealer(s). Any delays in the delivery of the chassis caused by the chassis dealer are beyond Hog Technologies control. To this end, we discourage the customer from scheduling jobs based on this estimated date and encourage the customer to wait until Hog Technologies can provide a firmer delivery date.

***If a shipping rate is provided to the customer, the rate shown shall be in effect as specified by the Effective Date and Expiration Date as listed above. When a shipment moves outside the parameters of this quote, it must be quoted at actual time of shipping. If the shipping amount increases, the customer agrees to take responsibility for any additional charges WT may incur.***

## 4 Training

### 4.1 Agenda

Once the unit is received and ready for operational training, pictures of the unit on location must be sent to [training@hogtechnologies.com](mailto:training@hogtechnologies.com). Upon receipt, all travel logistics will be completed and the training schedule confirmed. The customer may choose training to be at the Hog Technologies headquarters in Stuart, Florida, USA, or at the customer's location. If the customer's designated location is chosen, the customer agrees to reimburse Hog Technologies for the trainer's airfare, lodging, rental car and travel time.

Initial training will be four (4) consecutive nine (9) hour days. Up to 3 Operators may be certified per training event and up to 1 additional person may be certified as a mechanic in the same event. A shift supervisor may also attend all or part of the training. Besides a designated shift supervisor, persons not intended to receive a Certificate of Completion may not attend the class in total or any portion, without preauthorization of the trainer. Hog Technologies will provide training manuals and materials for the amount of people specified to participate in the training. We can supply additional manuals upon request. The fee is \$75.00 per manual.

If a translator is needed, the customer is responsible for securing and organizing translation services. Translators will not be eligible for a Certificate of Completion.

### 4.2 Certification and Licensing

Individuals who complete the initial training with at least 85 points are given a Certificate of Completion and Hog License. All certifications are valid for one year. All certified Operators and Mechanics may take advantage of the continuing education program. The continuing education program provides knowledge and experiences each quarter that build on the initial training and support the success of the individual, your company, and the industry as a whole.

**WARNING:** Placing an uncertified/unlicensed operator behind the wheel of your truck may cause serious damage to the road or runway surface and/or your truck. Allowing uncertified/unlicensed operators to operate your truck can cause serious consequences including; diminished productivity, unreliable performance, reduced lifespan of your unit, voided warranty, a rise in parts prices, and a rise in annual fees.







**Operation and/or maintenance by persons without Hog Technologies issued Certifications/Licenses or with expired Certifications/Licenses will void warranty.**

Please be aware that choosing an appropriate operator for this vehicle will have great implications on how successful you will be with your new purchase. Please review our "Operator Selection Guide" that is designed as a simple tool to assist in framing your thinking relative to operator selection. Although our trainers will make every attempt to train the person that you have selected, we make no guarantees that your selection will be "certified" at the end of the training. Although he or she will receive a certificate of attendance, we recommend that you allow only "certified" operators behind the wheel of your vehicle.

## 5 Maintenance, Service and Support

Our responsibility does not end when we sell our equipment. In fact, it is just the beginning of the relationship we enjoy with our customers. We provide first class support to our customers by offering the following:

- All customers are initially granted a complimentary membership to the exclusive Hog support center online ([www.technologiessupport.com](http://www.technologiessupport.com)). The support center features news releases, product upgrades, training videos, white papers, and performance tips. The website has a forum to interact with other Hog owners and operators in 30 different countries. You can also access the online store where you can order spare parts 24/7.
- Hog Technologies maintains a 24/7 customer support phone line with skilled and trained technical staff members. Our pieces of equipment operate in over 30 countries and 11 different time zones; all customers would agree this service is vital to their ongoing operations. Regardless of your location or time-zone, we respond to all customer calls immediately. Service is included for first year, subsequent years will be billed at \$1,500.00 per year on the anniversary of your initial training.

## 6 Warranty

**Waterblasting, LLC. DBA Hog Technologies**, hereinafter called WBL, warrants its components to be free from defects in material and workmanship while under normal use and service. WBL will, at its option, either repair or replace free of charge any such part that appears to us to be defective in material or workmanship during the warranty period. The warranty evaluation by WBL as to the cause of the defect shall be conclusive.

For approved warranty shipments, WBL will provide ground or economy shipping at no charge. If customer requests expedited shipping, the difference in the shipping costs will be invoiced to the customer.

WBL reserves the right to request the component(s) to be returned, freight pre-paid, for analysis before proceeding with any warranty claim. The customer shall be responsible for payment of any replacement components requested. If the warranty claim is approved by WBL, credit will be issued for the components under warranty.

No warranty is made, either expressed or implied, for defects, failures or malfunctions resulting from corrosion misuse, over-pressurization, insufficient maintenance, lack of maintenance and any modifications to the component as supplied by WBL. Any components replaced during the period of warranty will be warranted only during the period of the initial warranty, and no extensions shall be made, unless in writing by WBL in addition to the provision of the terms of the original warranty. WBL will not be liable for damage, abnormal wear or consequential damage to their system components resulting from the use of replacement components that are not furnished by WBL.

WBL will not be liable for charges incidental to the removal of damaged or defective components, lost time and profits, or any consequential damages resulting from failure of the component.

WBL reserves the right to make improvements to future models without the need to retrofit or upgrade prior models. WBL shall not be obligated to perform retrofits and/or modifications to components manufactured prior to the incorporation of the new design and specifications.

Components that are not originally manufactured by WBL, including but not limited to, the truck chassis, Jetstream Pump, OMSI (Gear Box), Positive Displacement Blower, are warranted only to the extent of the original manufacturer's warranty and are subject to their allowance to us if found defective by them. Copies of other manufacturers warranty statements will be supplied at the time of sale. WBL will assist with warranty claims on components not originally manufactured by WBL.





**WBL Warranty Schedule** - Warranty starts from the date of acceptance by the purchaser. Date of acceptance shall be defined as the time that the Stripe Hog is received by the purchaser. Acceptance of the truck shall imply agreement to the terms and conditions of this warranty.

• 1 - 365 Days: 100% Parts and 100% Labor \*

\* For approved warranty claims that include labor: If such labor is provided at customer's location and not at WBL headquarters, WBL reserves the right to invoice customer for reimbursement of travel-related expenses.

## 7 Patents

Hog Technologies agrees to hold the buyer harmless against any claims of infringement of any US patent now issued which involves exclusive infringement of any mechanical apparatus claim of such patent, provided we are immediately notified in writing upon receipt of such claim are given complete control of the defense with the right to defend or settle. Under no circumstances shall our liability hereunder exceed the price of the equipment alleged to infringe. We reserve the right to make changes in the equipment at any time for the purpose of avoiding patent infringement. See the attached URL for more information on our patents. <http://www.hogtechnologies.com/patent-information/>

## 8 Acceptance

This proposal may be withdrawn or altered in any way or to any extent at any time prior to written acceptance of your purchase order by an authorized agent of Hog Technologies, and shall not be binding upon us or create any obligation on our part unless or until we have accepted your order for the equipment offered herein. After acceptance, the contract between us relating to the sale and purchase of the equipment shall be construed in accordance with the laws of the State of Florida.

## 9 Validity

This proposal is valid for a period of thirty (30) days from the date of issue. Individual provisions of the proposal are severable and if any provision of this proposal shall be invalid, such invalidity shall not affect any other provision that can be given effect without such invalid provision.

## 10 Prices

Prices are provided in US Dollars only and are subject to change without notice at any time prior to the acceptance of your purchase order and/or after the expiration date specified in this quote. Hog Technologies reserves the right to inform you of and correct prices herein which may be made in error at any time prior to the acceptance of your purchase order.

Hog Technologies is not responsible for fluctuations in currency exchange rates and the price is in US Dollars (USD), fixed at the international exchange rate in effect at the time the signed proposal is received and accepted by Hog Technologies.

Prices are subject to an increase in amount to any tax or levy we may be required to collect or pay upon the sale of the equipment herein quoted and any tax measured in whole or in part by the amount of such sale. If not included in the invoice for the equipment, such amount may be invoiced at a later date.

Buyer assumes all responsibility and liability for shipping and all related costs, which may include but is not limited to disassembly, packaging, crate preparation, loading, transport, warehouse fees, unloading, forklift rental, and handling. Prices become fixed upon our the execution of this proposal.

## 11 Terms of Payment

Hog Technologies only accepts payment in US currency. Payments can be made in the form of a check or wire transfer from banks based within the USA. Outside of the USA, wire transfers are accepted. The customer agrees that if payment is not made, Waterblasting, LLC. reserves the right to place a lien on the Hog System. The Terms of Payment will include both the Hog System and Chassis payable to Waterblasting, LLC. Federal Excise Tax (FET) will be included on the final invoice if applicable.

- 100% due Net 30 days per HGACBuy Terms.



## 12 Summary

Date: 12/1/2019

ITEM	DESCRIPTION	QTY	UNIT PRICE	EXTENDED PRICE
<b>Stripe Hog Equipment:</b>	SH8000 Waterblasting System SW04-20F10	1	\$540,673.73	\$540,673.73
<b>Spare Parts:</b>	SH8000 Spare Parts System	1	Included	Included
<b>Options/Accessories:</b>	5 Axis Heavy Duty Arm	1	Included	Included
<b>Spray Bars System(s):</b>	Spray Bars, Protectors, Shrouds & Brushes are required and must be selected at time of order depending on User's applications	2	TBD	TBD
<b>Training:</b>	Refer To Section 4.1	1	Included	Included
	24/7 Technical Support <i>(Service to automatically renew &amp; bill on the anniversary date of each year)</i>	1	Included	Included
<b>Waterblasting System Sub-Total:</b>				<b>\$540,673.73 *</b>
Order Processing Charge:	HGAC 1.5% Order Processing Charge	1	-\$8,110.11	-\$8,110.11
Trainer Travel:	Training is provided at Hog Technologies factory located in Stuart, Florida. If customer requests the training at their facility there will be Estimated Trainer Travel costs added at the time of order.	1	TBD	TBD
Shipping:	Estimated shipping will be calculated at the time of order based on the specific Users location and choice of shipping method.	1	TBD	TBD
<b>Waterblasting System Total:</b>				<b>\$532,563.62 *</b>
<b>Chassis Selection:</b>	Choice of Chassis: Peterbilt 520 with ceiling A/C or Freightliner (Required Chassis Option)	1		Pricing on Form E

\* Waterblasting System and Chassis price does not include any applicable federal, state or local tax including, but not limited to, a Federal Excise Tax (12%), or Florida sales tax (6.5%). Buyer shall be responsible for the payment of all applicable federal, state and local taxes at time of delivery. If Buyer is exempt from FET, an exemption form must be submitted to Hog Technologies with this Proposal and/or corresponding purchase order. Otherwise, FET will be applicable and included in this sale.

